

Outline

1. Brief Introduction

- 2. General Information of Hubert Eaton Scout Reservation
- 3. Beetle and Fire History of HESR
- 4. Forest Restoration History of HESR
- 5. Our Findings
- 6. Our Solutions
- 7. Costs



Where?

Hubert Eaton Scout Reservation at Camp Pollack

What?

Mixed conifer-oak woodland forest restoration after battles with beetle and fire

How?

Using strategies including mastication, herbicide and controlled burns





HESR Forest Management Objectives

- Forest Health and Regrowth of Conifers
 - Returning the Forest to Pre-Fire Conditions which means reducing the number of oaks
- Mitigating Shrub Species
 - Shrub species outgrow the mixed conifer plant community after a fire
- Fire Protection
 - Reducing fuel for the fire and slowing the spread of fire once they do start

Outline

- 1. Brief Introduction
- 2. General Information of Hubert Eaton Scout Reservation
- 3. Beetle and Fire History of HESR
- 4. Forest Restoration History of HESR
- 5. Our Findings
- 6. Our Solutions
- 7. Costs

General Information on HESR

- >2,000 acre property in San Bernardino County
- Private non industrial surrounded by federal forest
- 3 miles southeast of Lake Arrowhead
- Elevation: 5,200 feet 6,400 feet
- Donated to LA Boy Scouts by the LA Turf Club
 - Some purchased from Utah International, Inc







- Originally used by Native Americans for food
- 1800s: Machining, logging, mining
 - Brookings Logging Company
- 1920s: Shift to recreation







PROPERTY MAP



Forest Types

- The current property includes mixed-conifer woodland, oak woodland, riparian communities, and chaparral
 - Units 6 and 7 are mainly mixed oak woodland and chaparral
- Current forest is even-aged due to fires









Conifers vs Hardwoods

- HESR has a combination of hardwoods and conifers
 - Conifers: year round foliage provides shelter for species such as deer and squirrel
 - Hardwoods do not provide the same year round consistency
 - Good in moderation
- When determining what to prioritize the differences are important




Outline

- 1. Brief Introduction
- 2. General Information of Hubert Eaton Scout Reservation
- 3. Beetle and Fire History of HESR
- 4. Forest Restoration History of HESR
- 5. Our Findings
- 6. Our Solutions
- 7. Costs

Fire History

- Old Fire (2003) and Slide Fire (2007)
 - Destroyed large portions of the property
- Other fires in 1922, 1930, 1956, and 1991
- Restoration efforts must account for frequent fires





Fire Consequences

- Loss of timber and regeneration
- Increase in shrubs
- Decrease in canopy cover
 - Decrease in soil moisture
- Increase runoff
- Increased stress to remaining trees
 - Susceptible to insects and disease



Bark Beetles Infestation

- First reports approximately 60 miles away from HESR in 2000
- At first in Coulter pines
- Eventually made its way to HESR and peaked in 2002-2003
- Infesting pines, spruce, firs, and cedars
- Population began to decline in 2004
 - Due to drought and low amounts of hosts










Bark Beetles Effects

- The biggest killer of pines in the early 2000s
- 78% mortality in >17 DBH Coulter pines
- 73.5% mortality in >17 DBH Ponderosa pines
- Giant gaps in forest canopy
- Oaks mostly unaffected, letting them dominate HESR




Outline

- 1. Brief Introduction
- 2. General Information of Hubert Eaton Scout Reservation
- 3. Beetle and Fire History of HESR
- 4. Forest Restoration History of HESR
- 5. Our Findings
- 6. Our Solutions
- 7. Costs

Forest Restoration History

- Primary objectives: Fuel management and forest restoration
 - Removal of dead trees
 - Mastication
 - Herbicides
 - Planting mixed conifers (150-200 trees/acre)
- Boy Scouts planted giant sequoia and jeffrey pine
- Replanting crippled by drought and storms






Outline

- 1. Brief Introduction
- 2. General Information of Hubert Eaton Scout Reservation
- 3. Beetle and Fire History of HESR
- 4. Forest Restoration History of HESR
- 5. Our Findings
- 6. Our Solutions
- 7. Costs

Plot Maps

- Elevation of over 5000 feet
- Warmer than optimal
- Some steep "gnarly" terrain



Our Plot

Conditions

- Steep—huge machinery will not be effective
- Hot, dry, little moisture

Brush hazard

- Dense, high, unrestricted growth
- Incredibly dry and flammable
- Tons of logs/snags

Oaks

- Very dominant black oak population
- Little pines/conifers






Soil

- After further research using Satellite/GIS data our plot seems to have an abnormally low soil moisture content
- Likely due to limited canopy cover due to burned pines
- Not ideal for growing new pines

KEY

Green— High moisture
Orange— Low moisture
Red— Dry (roads/infrastructure)
+ — Our plot



Data Collection Techniques

- Group were assigned a circle plot of radius 37.2 feet
- Students were tasked with measuring:
 - Number of trees and their species and age cohort
 - Before old fire, after old fire, natural regeneration, and planted in
 '21
 - Number of stumps diameter >= 10 inches
 - Canopy cover











Data Findings









Data Findings

Plots Collected	33	
Total Acreage collected	3.3	
Trees Collected	239	
Trees/Acre	72.4	
Average Number of Stumps/	17.0	
Average Live Brush Cover	29%	
Average Dead Brush Cover	37%	
Average Canopy Cover	37%	




Outline

- 1. Brief Introduction
- 2. General Information of Hubert Eaton Scout Reservation
- 3. Beetle and Fire History of HESR
- 4. Forest Restoration History of HESR
- 5. Our Findings
- 6. Our Solutions
- 7. Costs

ICO Planting


- Prefire conditions contained mostly conifers
- Species composition has shifted
- ICO (Individuals, clumps, and openings)
 - Clumps- Regulate weather and storm
 - Individuals- Shade intolerant species
 - Openings- Creates discontinuity



Shaded Fuel Breaks

- Plots are generally flat with some valleys
 North
- These are ideal for fuel Break
 - These will create fuel discontinuity





Mastication

 Getting rid of oak creates extra wood which can be turned into mulch

- This is useful for
 - Preventing soil erosion
 - Water conservation
 - Growing intended species
- Conifers need more water than black oaks
- Brush suppression
 - Covering brush negates some of the rapid growth advantage over conifers

Kindling and Mulch

- Mulch piles over 3 inches kill microorganisms in soil
- Areas with many oaks may need to be given to scouts for projects
 - This further serves the land owners intentions





Planting Pines

- Prefire conditions contained mostly conifers
- Species composition has shifted
 - Oaks grow back quicker
- Replanting pines remediates this advantage
 - Bringing back ideal range









Managing existing oak populations

- Oaks are living hydras—you cut down one trunk and another will spring up eventually
- So we are proposing to use herbicides after hand felling









Challenges

- Drought/low soil moisture
 - Woods chips from recently masticated oaks
 - Traps moisture
 - Prevents drying
 - Suppress weeds/competition





Challenges

- Topography limits use of feller bunchers.
 - Instead use hand felling
 - Due to challenge of very steep terrain
 - Reduced soil disturbance for new pines
 - Expensive but necessary
 - Grants will help manage costs









Challenges

- Low access due to dense and high brush
 - Hand clearing using chainsaws in hard to reach areas
 - It is expensive however it is one of the only options due to terrain and controlled burn practices
 - Mulchers in flat areas











Reforestation Timeline

Removal of oak

Mastication ect used to cut own oaks

Review

Analyzing success and failure and adapting new plans

01 02

03

04

Hand Clearing

Foresters remove dense brush

Preventative Measures and Planting

Herbicide and mastication of undesired species while planting conifers



Outline

- 1. Brief Introduction
- 2. General Information of Hubert Eaton Scout Reservation
- 3. Beetle and Fire History of HESR
- 4. Forest Restoration History of HESR
- 5. Our Findings
- 6. Our Solutions
- 7. Costs

CFIP

- California Forest Improvement
 Program
- Willing to pay portion of various treatments per acre
- Assume consumer costs to be about
 40% of CFIP cap rates
 - According to Jeremy Zagarella,
 registered forester with California
 RPF #3229



Short Term Treatments

- Site Preparation Mechanical Heavy: \$1,340
 - Heavy cover of brush and some oak trees to be removed
- Trees & Planting Light: \$338
 - Mixed conifers to be planted
- Release: Mechanical Light: \$670
 - Decrease competition for young crop trees



Long Term Treatment

- Tree Shelters: \$416
 - Shade cards, manual watering, etc.
- Follow-Up Herbicide Moderate: \$644
 - Limit oaks and brush from regrowing and outcompeting conifers
- Review after conifers grow tall enough
 - Shade intolerant brush, changing landscape







Implementation Cost

- Short term:
 - Site Prep + Release + Planting = \$2,348 covered by CFIP
 - 2348 * .4 = \$939.2 estimated cost per acre to prepare and plant trees
- Long term:
 - Shelters + Follow-up= \$1,060 covered by CFIP
 - 1060* .4 = \$424 estimated cost per acre for continued upkeep
 - Possibly recurring again, up to review as conditions change





Funding

- CFIP covers the majority of cost
- Bordering a National Forest
 - National Government would be inclined to help prevent fires
 - Possible collaboration and aid in management






Grants

- California Rises 2025 Grant for Disaster Relief & Recovery
 - Apply under the focus topic of fire mitigation
 - In the past, they diverted 38% of the annual fund to fire prevention









The Cost of Doing Nothing

- Potential for Fire (Headwater Economics)
 - Property loss
 - Further worsening of shrubs and oaks







Resources

Jeremy Zagarella, registered forester with California RPF #3229

Kaylee Burr, forestry major at Reedley College

Fransisco De La Torre-Allen, Natural Resources/Natural Science Student at Shasta College

Socioecological Impacts of the Western Pine Beetle Outbreak in Southern California: Lessons

for The Future, Christopher J. Fettig

Head Water Economics- Kelly Pohl

CFIP Cap Rates for Practices (REV. 06/2025)



Fire Spread





